

Accredited Tests List

List of accredited tests, UKAS Testing No 1066, correct as of **26/07/2021**.

Type of Test	Standards tests are performed to
% reduction in colony counts (antimicrobial activity)	ASTM E 2149-10 (Superseded)
% reduction in colony counts (antimicrobial activity)	ASTM E 2149-13a (Superseded)
Abrasion (Martindale)	BS EN ISO 12947:Parts 1-4: 1999, BS EN ISO 12947-2:2016
Abrasion (Martindale)	BS 3424:Part 24:Method 27A Modes A and B, 1990
Abrasion (Martindale)	BS EN ISO 12947:Parts 1-4: 1998, BS EN ISO 12947-2:2016
Abrasion damage simulation	BS EN ISO 13427:2014
Abrasion resistance	BS EN ISO 12947:Pts 1, 2, 3 and 4:1998, BS EN ISO 12947-2:2016, BS EN 14465:Annex A:2003
Abrasion resistance	BS EN 530:1995, BS EN 530:2010
Abrasion resistance	BS EN 388:2003(withdrawn), BS EN 388:2016
Air permeability	BS EN ISO 9237:1995
Antibacterial assessment of diffusible agents	AATCC 147:2016
Artificial ageing (elevated temperature)	BS EN 1296:2001, BS EN 1296:2001 modified by EN 13859-1:2014 and EN 13859-2:2010 (withdrawn)
Asperity Measurement	GRI GM12, ASTM D7466/S7466M-10(2015)e1
Bedding components	IMO FTP Code 2010 Pt9
Blade Cut	BS EN 388:2003(withdrawn), BS EN 388:2016
Blocking test	ISO 5978:1990(2015), BS EN 25978:1993(2015)
Breaking load and extension	ISO 1421:1998, BS EN ISO 1421:2016



Breaking load and extension (grab method)	ASTM D4632 (2015)
Burn Injury Prediction Testing	ISO 13506:2008 using an instrumented manikin (Withdrawn)
Burn Injury Prediction Testing	ASTM F 1930: 2000(2008) (withdrawn) using an instrumented manikin
Burning behaviour	BS EN 407:1994, Clause 6.3 (withdrawn), BS EN 407:2004, Clause 6.3 (Withdrawn)
Burning behaviour aircraft components	EASA CS.25.853 App F Part 1, FAR/JAR 25 App F Part 1
Bursting strength	BS EN ISO 13938:Part 1:1999 (Withdrawn)
Bursting strength	BS EN ISO 13938-1:2019
Bursting strength	BS ISO 3303:2012 (Withdrawn)
Carbon black content	ASTM D1603-14 (superseded)
Carbon black dispersion	ASTM D5596-03 (2016)
Carpet Construction	BS 4051:1987
Carpet Construction	ISO 1765:1986
Carpet Construction	BS ISO 1766:1999
Carpet Construction	BS ISO 1763:2020
Carpet Construction	BS ISO 8543:2020
Castor chair	BS EN 985:2001
Charge decay	BS EN 1149-3:2004
Chromaticity background material	BS EN ISO 20471:2013 + A1(2016)
Chromaticity background material	BS EN 1150:1999 (Withdrawn)
Chromaticity background material	RIS-3279-TOM:2016
Classification	BS EN 13501:Part 1:2007+A1:2009 (Withdrawn)
Classification of carpets	BS EN 1307:2014+A3:2018
Classification of underlays	BS 5808:1991
Cleanliness	BS 1425:Part 1:1991
Cleanliness	BS 1425:Part 2:1991 (superseded)
Coating adhesion	BS EN ISO 2411:2000 (Withdrawn)
Coating Adhesion	BS 3424:Part 7:Method 9:1982 (1996) (withdrawn)
Cold water immersion	BS 4736:1985, ISO 7771:1985, BS 6F 100:1998, Section 3.6
Colour Fastness Tests and related Opinions and Interpretations	Artificial light - Xenon arc B02:1999(withdrawn) BS EN ISO 105 B02:2014
Colour Fastness Tests and related Opinions and Interpretations	Washing and laundering C01-C05 (superseded) BS EN ISO 105-C10:2007
Colour Fastness Tests and related Opinions and Interpretations	Domestic and commercial laundering BS EN ISO 105-C06:2010, BS EN ISO 105-C08:2010
Colour Fastness Tests and related Opinions and Interpretations	Dry cleaning BS EN ISO 105-D01:2010

Colour Fastness Tests and related Opinions and Interpretations	Rubbing with organic solvents BS EN ISO 105-D02:2016
Colour Fastness Tests and related Opinions and Interpretations	Water BS EN ISO 105-E01:2013
Colour Fastness Tests and related Opinions and Interpretations	Sea water BS EN ISO 105-E02:2013
Colour Fastness Tests and related Opinions and Interpretations	Chlorinated water BS EN ISO 105-E03:2010
Colour Fastness Tests and related Opinions and Interpretations	Perspiration BS EN ISO 105-E04:2013
Colour Fastness Tests and related Opinions and Interpretations	Spotting (water) BS EN ISO 105-E07:2010
Colour Fastness Tests and related Opinions and Interpretations	Bleaching agencies BS EN ISO 105- N01:1995
Colour Fastness Tests and related Opinions and Interpretations	Hot Pressing BS EN ISO 105-X11:1994, BS EN ISO 105-X11:1996
Colour Fastness Tests and related Opinions and Interpretations	Rubbing BS EN ISO 105-X12:2016
Conditioning	BS EN ISO 2231:1995, BS 3424:Part 2:1992
Conductivity, pH, water-soluble matter, in aqueous extracts	BS 3266:1981 Section 8.3 (withdrawn), BS 5F 100:1991:Methods 43 to 45 (withdrawn) and BS 6F 100:1998, Sections 4.2 to 4.4
Construction	BS 2861:1984(1996)
Constructional Properties of Knitted Fabrics	BS 5441:1988 Sections 2 (Cl. 8, 10 & 11) BS 5441:1988 Section 3 Cl. 13 (Withdrawn)
Constructional Properties of Knitted Fabrics	BS EN 14970:2006
Constructional Properties of Knitted Fabrics	BS EN 14971:2006
Constructional Properties of Knitted Fabrics	BS 5441:1988+A1:2019, Section 2, Clauses 9, 11 and 12 and Section 3, Clauses 14 and 16.
Crumple flex	BS 3424:Part 9:Method 11C: 1996, BS EN ISO 7854method C:1997
Curtains and Drapes	BS 5867:Part 2:2008
Curtains and Drapes	BS EN ISO 15025:2002 (Withdrawn)
Density of plastics	ASTM D1505-18
Design Requirements	BS EN 1149-5:2018
Design/background area	Shirley Method 134:2017
Determination of 2% secant modulus for polyethylene geomembranes	ASTM D5323-92(2011) (Superseded)
Determination of dimensional change	BS EN ISO 5077:2008

Determination of long term protection efficiency of geotextiles in contact with geosynthetic barriers	EN ISO 13719:2016
Determination of melting behaviour - capillary tube method	BS EN ISO 3146:2000 Method A
Determination of soluble hexavalent chromium	BS EN ISO 17075:2007 (Withdrawn)
Determination of soluble hexavalent chromium - Colorimetric method	BS EN ISO 17075-1:2017
Determination of the pyramid puncture resistance of supported geosynthetics	BS EN 14574:2015
Determination of the resistance to weathering	BS EN 12224:2000
Determination of total lead content	In-House Method STL/SOP 005 based on ASTM E-1613-04 to meet the requirements of 16 CFR 1303:2005 CPSC-CH-E1001-08 using ICP (AES)
Diameter	ISO 137:2015
Dimensional change	ISO 5077:1984 (withdrawn), ISO 3759:1984 (withdrawn), ISO 3759:2007 (withdrawn), BS EN ISO 3759:2011, BS EN ISO 5077:2008
Dimensional stability	ASTM D1204-14 (Superseded)
Dimensional stability	BS EN 1107-2:2001
Dimensional stability (immersion in water)	BS 4736:1985(1996), ISO 7771:1985(2013), BS 6F 100:1998, Section 3.6
Dimensional stability (methods of preparation)	BS EN ISO 3759:2008 (withdrawn), BS EN ISO 3759: 2011
Dimensional stability (procedure and repeatability)	BS EN ISO 5077:2008
Dimensional stability (washing)	BS EN ISO 6330:2012
Direct impingement - single flame source	BS EN ISO 11925:Part 2:2010 (Withdrawn)
Domestic and commercial laundering	C06:2010, C08:2010
Dry cleaning	D01:2010
Dynamic loading	BS ISO 2094:1999
Edge fraying (Vetterman)	BS EN 1814:2005 (Withdrawn)
Assessment	BS EN 1471:1997, BS EN ISO 9405:2017
Electrical resistance	BS ISO 10965:2011
Evaluation of antibacterial finishes	AATCC 100:2012 (Superseded)
Examination of antibacterial effect of impregnated textiles by agar diffusion test	SNV 195 920:1994, BS EN ISO 20645:2004
Fabric width	BS EN 1773:1997
Fibre shedding	Documented In-House Method (E2-15)

Fire propagation	BS 476:Part 6:1989+A1:2009
Flame spread	BS EN ISO 9239:Part 1:2010, AS ISO 9239.1:2003(2016)
Flame spread	BS 476:Part 7:1987 (Withdrawn)
Flammability	BS 7837:1996
Burning behaviour	BS EN ISO 6941:2003
Burning behaviour	BS EN 1103:2005
Flammability and related Opinions and Interpretations for protection against heat and flame	BS EN 533:1997 (withdrawn), BS ISO 15025:2000 (withdrawn), BS EN ISO 15025:2002(withdrawn), BS EN ISO 15025:2016
Flammability and related Opinions and Interpretations for protection against heat and flame	ASTM D6413-15
Flexing resistance (Schildknecht)	BS EN ISO 7854: Method B: 1997, BS 3424: Part 9:Method B 1996
Fluid loss	ASTM D5891-02(2009) (Superseded)
Free and hydrolysed formaldehyde	BS EN ISO 14184:Part 1:2011
General tests for evaluation following durability testing	EN 12226:2012
Geotextiles – California bearing ratio (CBR)	AS 3706.4-2012
Geotextiles – Tensile Properties	AS 3706.2-2012
Geotextiles- Grab strength	AS 2001.2.3.2: 2001 (2016)
Geotextiles- Permittivity, permeability and flow rate	AS 3706.9-2012
Geotextiles- Pore size distribution	AS 3706.7-2014
Geotextiles –Puncture resistance (Drop cone)	AS 3706.5-2014
Geotextiles –Tearing Strength	AS 3706.3-2012
Gloved finger dexterity	EN 420:2003 +A1 2009 (Withdrawn)
Grab strength	BS EN ISO 13934 Pt 2 :2014
Heat resistance	BS ISO 17493:2000(withdrawn), BS ISO 17493:2016
Heat transfer (contact heat)	BS EN 702:1995 (2007) (Withdrawn)
Heat transfer (contact heat)	ISO 12127-1:2007 (Withdrawn)
Heat transfer (contact heat)	BS EN ISO 12127-1:2015
Heat transfer (flame and radiation)	ASTM F2700-08(2013) (Superseded)
Heat transfer (flame)	BS EN 367:1992(withdrawn)
Heat transfer (flame)	BS EN ISO 9151 :2016, ISO 9151:2016
Heat transfer (flame)	ISO 9151:1995 (withdrawn)
Heat transfer (radiation)	BS EN ISO 6942:2002
Heat/Water (Aachen)	ISO 2551:1981 (Withdrawn)
Heat/Water (Carpet Tiles)	BS EN 986:2005

Ignitability and burning behaviour	BS 6807:2006
Ignitability and burning behaviour (including water soaking pre-treatments)	BS EN 1021-1:2014, BS EN 1021-2:2014, BS 7176:2007+A1:2011, BS EN 1021-1:2006, BS EN 1021-2:2006, BS 5852:2006, BS 5852:Part 1:1979, BS 5852:Part 2:1982
Ignitability of bed bases, etc	BS EN 597:Parts 1 and 2:1995 (Withdrawn)
Ignitability, flame spread	BS 5438:1989 (Amd 1990/1994) (1997) Test 2
Index flux	ASTM D5887-16 (Superseded)
Index puncture resistance	ASTM D4833-07(2013) (Superseded)
Industrial Washing and Finishing Procedures for testing of Workwear. – Excluding tunnel drying	ISO 15797:2002 (Withdrawn)
Industrial Washing and Finishing Procedures for testing of Workwear. – Excluding tunnel drying	BS EN ISO 15797:2018
Inherent antibacterial properties	JIS L 1902:2015
Inherent antibacterial properties	BS EN ISO 20743:2013 Section 8.1
Initial tear resistance of plastic film and sheeting	ASTM D1004-13
In-plane water flow capacity	BS 6906:Part 7:1990(1995) (withdrawn)
In-plane water flow capacity	BS EN ISO 12958:2010 (Withdrawn)
Length	ISO 6989:1981
Limiting oxygen index	BS EN ISO 4589-2:1999 (Withdrawn)
Linear density of yarn from packages	BS EN ISO 2060:1995
Lisson tretrad	BS EN 1963:2007 (Withdrawn)
Lisson tretrad	BS EN ISO 12951:2020
Low Temperature Performance	BS 3424-8-Method 10A:1983 (withdrawn)
Mass per unit area	BS EN ISO 2286-2:2016, BS EN 12127:1998, BS 6F 100:1998, Section 3.2
Mass per unit area	BS EN 12127:1998
Mass per unit area	BS 6F 100:1998, Section 3.2
Mass per unit area	BS EN 965:1995 (superseded)
Mass per unit area	ASTM D5261-10(2018)
Mass per unit area	BS EN ISO 9864:2005
Mass per unit area	AS 2001.2.13-1997 (2016)
Mass per unit area	BS EN 1849-2:2009 (Withdrawn)
Mass per unit area (GCL)	BS EN 965:1995 (superseded)
Mass per unit area (GCL)	BS EN 14196:2016
Mass per unit area (GCL)	ASTM D5993-18
Mass/unit area	ISO 9073-1:1989(2015)
Measurement of water vapour permeability index	BS 3424:Part 34:Method 37: 1992

Measurement of water vapour permeability index	BS 7209:1990(1997), Appendix B
Mechanical pre-treatment for metallized materials	BS EN ISO 11612:2015 Annex A, BS EN 1486:2007 Annex A, ISO 15538:2001 Annex A
Mechanical Risk Test (for automobile drivers)	FIA Standard No 8856:2000 Appendix II
Melt flow rate of thermoplastics by extrusion plastroner	ASTM D1238-2013 (Superseded)
Method of preparation	BS EN ISO 3759:2011
Methodology for cylinder testing of protectors for geomembranes	Environment Agency - April 2006 Environment Agency 2011
Microbiological resistance by soil burial	EN 12225:2000 (Withdrawn)
Moisture content (GCL)	ASTM D2216-2010 (Superseded), ISO 11465:1993 Part 3
Molten metal splash	BS EN 373:1993 (withdrawn), BS EN ISO 9185:2007
Montmorillonite content (Methylene blue capacity)	API RP 131, VDG P69
Oil repellency rating	AATCC 118:2012 (Withdrawn), BS EN ISO 14419:2010
Oven Gloves	BS 6526:1998 (2017)
Oxidative Induction Time	ASTM D3895-19 using Differential Scanning Calorimeter
Oxidative Induction Time	BS EN ISO 11357-6:2018
Peel and shear strength of bonded seams	ANSI/NSF Modification Standard 54: 1993, Appendix A, Part 3 and Part 5, based on ASTM D413:1982(1993) and ASTM D4437-99, ASTM D6392-12(2018)
Peel strength	ASTM D4632 (2015), ASTM D6496-2009 (Superseded)
Peel strength (geocomposites)	ASTM D4632 (2015)
Perspiration	E04:2013
pH of aqueous extracts	BS EN ISO 3071:2006 (Withdrawn)
pH of aqueous extracts	BS EN ISO 3071:2020
Phthalates	BS EN ISO 14389:2014, CPSC-CH-C1001-09.3:2010 using GC MS CPSC-CH-C1001-09.4:2018
Pilling	BS EN ISO 12945:Pt 1:2001 (Withdrawn)
Pilling	BS EN ISO 12945-1:2020
Pilling	BS EN ISO 12945-4:2020
Pore/Opening size by wet sieving	BS EN ISO 12956:2020
Preparation of dried paint samples by hot plate or microwave digestion for subsequent lead analysis	In-House Method STL/SOP 005 based on ASTM E-1645-01(2007)
Protection against liquid chemicals	BS EN ISO 6530:2005
Puncture resistance	BS EN 863:1996(2002)
Puncture resistance	BS EN 388:1994(withdrawn), BS EN 388:2003(withdrawn), BS EN 388:2016

Puncture resistance	Federal Test Method, Standard 101C, Method 2065:1982
Puncture resistance (CBR puncture test)	BS 6906:Part 4:1989 (withdrawn)
Puncture resistance (CBR puncture test)	DIN 54307:1982
Puncture resistance (CBR puncture test)	BS EN ISO 12236:2006
Puncture resistance (CBR puncture test)	ASTM D6241 (2014)
Quantitative analysis of Binary fibre mixtures and Ternary fibre mixtures	BS EN ISO 1833
Quantitative analysis of fibre mixtures	EU Regulation 1007/2011, excluding Method 16
Requirements for protective clothing against foul weather	BS EN 343:2003+A1:2007 Cl 5.1.3.5 (Withdrawn)
Requirements for protective clothing against foul weather	BS EN 343:2019 Section 5.5
Resistance of fabrics to an artificial shower	BS 5066:1974(1994)
Resistance to acid and alkaline liquids (Screening method)	EN 14030:2001
Resistance to blood borne pathogens using Phi-X174 bacteriophage penetration	ASTM F 1671-2013, BS ISO 16604:2004
Resistance to ignition	BS 7177:2008+A1:2011, BS 7175:1989(1994)
Resistance to oxidation (Screening methods)	EN ISO 13438:2004 Methods (withdrawn) A1, A2, B1 & B2
Resistance to penetration by synthetic blood	ASTM F 1670-2014 (Superseded)
Resistance to penetration by synthetic blood	BS ISO 16603:2004
Resistance to penetration by Water	BS EN 13562:2000
Resistance to perforation (cone drop test)	BS 6906:Part 6:1990 (withdrawn)
Resistance to perforation (cone drop test)	BS EN 918:1996 (superseded withdrawn)
Resistance to perforation (cone drop test)	BS EN ISO 13433:2006
Resistance to water penetration	BS EN 13111:2010
Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	ISO 811:1981(2007) (Withdrawn)
Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	BS EN 20811:1992(1996)

Resistance to water penetration (hydrostatic head) - textile fabrics (barrier properties)	BS EN ISO 811:2018
Resistance to water penetration (hydrostatic head) coated fabrics	BS 3424:Part 26:Methods 29A and 29C:1990
Resistance to water penetration (hydrostatic head) textile fabrics (woven)	BS EN 20811:1992(1996), ISO 811:1981 (2007), BS EN ISO 811:2018
Sampling and preparation of test specimens	BS EN 963:1995, BS EN ISO 9862:2005
Screening for determining the resistance by hydrolysis in water	BS EN 12447:2001
Screening for determining the resistance by hydrolysis in water	BS EN 13249:2016
Seam slippage	BS EN ISO 13936-1:2004, BS EN ISO 13936-2:2004
Seam tensile properties Strip method and Grab method	BS EN 13935:Part 1:2014 and BS EN 13935:Part 2:2014
Short term compression	ASTM D1621-16, BS EN ISO 25619-2:2008 (Withdrawn)
Side length, squareness and straightness of tiles	BS EN 994:1996
Single burn item	BS EN 13823:2002 (Withdrawn)
Single burn item	BS EN 13823:2010 (Withdrawn)
Size and squareness of carpet tiles	BS 5921:1980
Small splashes of molten metal	BS EN 348:1992, ISO 9150:1988
Soil moisture content	AS 1289.2.1.1-2005 (2016)
Solvent extractable matter	BS 8459:2005
Specifications for upholstery fabrics	BS 2543:2004
Spray rating	BS EN 24920:1992(1996) (withdrawn), ISO 4920:2012, BS EN ISO 4920:2012, BS 3424-26:1990 Method 29D
Static loading	BS 4939:1987, ISO 3416:1986
Static Thickness	AS 2001.2.15-1989 (2016)
Strength	BS EN ISO 5079:2020
Strength of internal structural junctions	BS EN ISO 13426-1:2003 (Withdrawn)
Strength of internal structural junctions	BS EN ISO 13426-2:2005
Strength of yarn from packages	BS EN ISO 2062:2009
Stress cracking using notched constant tensile load	ASTM D5397-07(2012) (Superseded), BS EN 14576:2005
Surface and interfacial tension of solutions of surface active agent	ASTM D 1331-11 (Superseded)
Surface drag	BS 3424:Part 10:Method 12B:1987(1996)
Surface flammability	IMO FTP Code 2010 Pt5

Surface resistivity Electrical resistance through material	BS EN 1149-1:2006, BS EN 1149-2:1997
Swell Index of Clay	USP NF XVII
Swell Index of Clay	ASTM D5890-19
Tear resistance	ISO 9073-4:1997(2013) (Withdrawn)
Tear resistance	BS EN 388:2003(withdrawn), BS EN 388:2016
Tear resistance (nail shank)	BS EN 12310-1:2000, BS EN 12310-1:2000 modified by EN 13859-1:2014 and EN 13859-2:2010 (Withdrawn)
Tear strength	BS 3424:Part 5:Method 7:1982 (1996) (withdrawn), ISO 4674:1977 (withdrawn), BS EN ISO 4674-1:2016, BS EN ISO 4674:Part 2:1998(2013), BS EN ISO 4674-1:2003 (withdrawn)
Tear strength	BS 6F 100:1998, Section 3.5
Tear strength (BS 5F 100)	BS 6F 100:1998, Section 3.5
Tear strength (Elmendorf)	ASTM D1424:2009(2013) (Superseded), BS EN ISO 13937-1:2000
Tear strength (Elmendorf)	ASTM D1424:2009(2013) (Superseded), BS EN ISO 13937-1:2000
Tear strength (Tongue Tear)	BS 6F 100:1998, Section 3.5.1
Tear strength (Tongue Tear)	BS EN ISO 13937:Part 4:2000+
Tear strength (Trousar Tear)	BS EN ISO 13937:Part 2:2000 (electronic)
Tear strength (Wing Rip)	BS EN ISO 4674-1:2003 (Withdrawn)
Tear strength (Wing Rip)	BS EN ISO 13937:Part 3:2000+
Tensile properties	BS EN 12311-1:2000, BS EN 12311-1:2000 modified by EN 13859-1:2014 and EN 13859-2:2010, BS EN 12311-2:2013
Tensile properties of plastics	ASTM D6693-04 (2015) (Superseded), EN ISO 527-1:1996 (Withdrawn), EN ISO 527-3:1995(1998) (Withdrawn)
Tensile properties using a wide width strip	BS 6906:Part 1:1987(1995) (withdrawn)
Tensile properties using a wide width strip	ASTM D4595-17
Tensile properties using a wide width strip	BS EN ISO 10319:2015
Tensile strength	BS 2576:1986 (withdrawn), BS EN ISO 13934-1:2013
Tensile strength	ASTM D6768-18 (Superseded)
Tensile strength and elongation	BS EN ISO 1421:1998 (Withdrawn), BS EN 29073-3:1992,
Tensile strength and elongation	BS 6F 100:1998, Section 3.3
Tensile strength and elongation	BS EN ISO 13934-1:2013
Tensile strength and elongation	BS EN ISO 13934: 2:2014
Tensile strength and elongation	ISO 9073-3:1989(2015)
Tensile strength and elongation	BS 6F 100:1998, Section 3.3
Tensile strength and elongation	BS EN ISO 13935:Part 1; 1999(withdrawn),

Tensile strength and elongation	BS EN ISO 13935:Part 1:2014
Tensile strength and elongation	BS EN ISO 13935:Part 2:1999 (withdrawn)
Tensile strength and elongation	BS EN ISO 13935:Part 2:2014
Tensile test for joints/seams by wide-width method	BS EN ISO 10321:2008
Thermal and water vapour resistance	BS EN 31092:1993+A1:2012 (withdrawn)
Thermal and water vapour resistance	ISO 11092:1993+A1:2012 (withdrawn)
Thermal and water vapour resistance	BS EN ISO 11092:2014, ISO 11092:2014
Thermal resistance or conductivity	ISO 5085:Part 1:1989(2015), BS 4745:2005:Procedure 10.2 and 10.3
Thickness	ISO 9073-2:1995(2016)
Thickness	BS EN 22286:1994 (withdrawn)
Thickness	BS ISO 23529:2010 (Withdrawn)
Thickness	ISO 4648:1991 (withdrawn)
Thickness	BS EN ISO 2286-3:1998 (Withdrawn)
Thickness	BS EN 964-1:1995 (superseded)
Thickness	BS EN 1849-2:2009 (Withdrawn)
Thickness at specified pressures	BS EN 964-1:1995 (superseded), ASTM D5199:2012 (Superseded), BS EN ISO 9863-1:2005 (Withdrawn)
Thickness of fabric	BS EN ISO 5084:1997
Thickness of Geomembranes	ASTM D5199:2012 (Superseded)
Thickness of Geomembranes	ASTM D5994-2010 (Superseded)
Thickness, compression and recovery	BS 4098:1975
Threads per unit length	BS 2862:1984(1990) (withdrawn), BS 6F 100:1998 Section 3.1, BS EN 1049:Part 2:1994
Threads per unit length in woven fabric	BS 2862:1984(1990) (withdrawn), BS 6F 100:1998, Section 3.1, BS EN 1049:Part 2:1994
Total lead in metal products	IHM STL/SOP/005 to implement CPSC-CH-E1001-08.1 & E1001-08.2:2012 to meet the requirements of CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total Lead in non-metallics (excluding ceramics)	IHM STL/SOP/005 to implement CPSC-CH-E1002-08.1 & E1002-08.2:2012 to meet the requirements of CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total Lead in Surface Coatings	IHM STL/SOP/005 to implement CPSC-CH-E1003-09.1:2010 to meet the requirements of 16CFR1303 and CPSIA section 101:2007; Using acid digestion and ICP(MS) or ICP(OES)
Total mass/coating mass/substrate mass	BS EN ISO 2286:Part 2:1998 (withdrawn), BS EN ISO 2286-2:2016
Trapezoid tear strength	ASTM D4533-15
Tuft withdrawal	BS ISO 4919:2012
Tumbler test – Hexapod/Vetterman	BS ISO 10361:2012 (withdrawn)
Tumbler test – Hexapod/Vetterman	BS ISO 10361:2015

Twist of yarn	BS EN ISO 2061:2015
Upholstered furniture	IMO FTP Code 2010 Pt8
UV ageing/irradiation	BS EN 1297:2004 as modified by BS EN 13859-1:2014 (Annex C) and EN 13859-2:2010, Annex C BS EN ISO 4892-3:2016 A & C
Vertically supported textiles and films	IMO FTP Code 2010 Pt7
Washing	ISO 6330:1984, BS EN ISO 6330:2012
Washing	BS EN ISO 6330:2012, ISO 6330:2000(withdrawn)
Washing and drying	BS EN ISO 6330:2012, BS EN 26330:1994(withdrawn)
Water absorption of bentonite	ASTM E946:1992
Water flow normal to the plane of a geotextile under a constant head	BS 6906:Part 3:1989(1995) (withdrawn)
Water repellency (Bundesmann)	BS 6F 100:1998, Section 3.8, BS 29865:1993, ISO 9865:1991(2016)
Water soak, washing, dry cleaning, etc	BS 5651:1978
Water vapour transmission	BS EN 1931:2000, BS EN ISO 12572:2001, BS 3177:1959(withdrawn)
Water-flow, normal to the plane	BS EN ISO 11058:2010 (Withdrawn)
Watertightness	BS EN 1928:2000 Method A, BS EN 1928:2000 Method A modified by EN 13859-1:2014, EN 13859-2:2010
Wet ashing	BS 6648:1986
Wide-width tensile test	BS EN ISO 10319:2015
Width	BS EN ISO 2286-1:2016, BS EN 1773:1997, BS ISO 22198:2006
Width	BS EN ISO 2286-1:2016, BS EN ISO 2286:Part 1:1998 (withdrawn)
Width: mass and length	BS EN 22286:1994 (withdrawn)
Yarn count from fabric	BS ISO 7211/5:1984 (Withdrawn)
Yarn crimp from fabric	BS ISO 7211/3:1984
Yarn twist from fabric	BS ISO 7211/4:1984
Minimum Requirements for Carpet underlays	BS EN 14499:2015
Body voltage. Assessment of static electrical propensity.	BS EN 1815:2016
Pressure pot end-point determination	BS EN 14325:2018 Section 4.4
Pressure pot end-point determination	BS EN 14325:2018 Section 4.5